BUILDING PRODUCT INFORMATION — BPIR:QUAEBA-COM:2026.V2

# Quartz 135 aluminium external spouting bracket

Component BPIR. Supersedes BPIR:QUAEBA-COM:2023.v1. Issued under the Building (Building Product Information Requirements) Regulations 2022.

## Product and manufacturer details

| | |
|---|---|
| Product name | Quartz 135 aluminium external spouting bracket |
| Product identifier | QUAEBA-COM |
| Manufacturer's name & address | Continuous Group Ltd, 6 Yashili Drive, Pokeno 2402 |
| Manufacturer's NZBN | 9429034817001 |
| Manufacturer's email address | cg@continuous.co.nz |
| Manufacturer's web address | www.continuous.co.nz |
| Place of manufacture | Aotearoa New Zealand |
| Warnings & bans | No |

## Product description

Quartz 135 aluminium external spouting bracket is a spouting bracket used in the installation of the Quartz 135 spouting system.

TABLE 1

| COMPONENT | COMPONENT - MATERIAL |
|---|---|
| CG Quartz 135 External Bracket | 3.00mm BMT Aluminium (Grade 5052-H32) |

## Installation requirements

Refer to Quartz 135 pre-painted metal spouting system BPIR:QUAPM-SYS:2026.v2 for full system and installation details. Maximum bracket spacing is 750mm; 600mm in snow loading zones.

## Scope of use

Quartz 135 aluminium external spouting bracket is designed to fit Quartz 135 spouting.

### Limitations of the use of this building product

1. The product cannot be installed onto fascia or cladding with incompatible materials. The product cannot run off onto incompatible materials. Material compatibility, contact and run off to be adhered to in accordance with E2/AS1 Tables 20, 21 & 22.

2. Site locations must be evaluated in areas with high wind &/or salt &/or thermal/industrial atmospheric conditions. These types of locations may require specific engineering design (SED). Designers must consult metal supplier's information for specific durability requirements (reference E2/AS1 Table 20).

## Maintenance requirements

Link to the Care and Maintenance Document below under "Supporting documentation".

1. Inspection of the product is required every 3 months to check for buildup of residue.
2. Wash the exterior surface of the product at a minimum of every 6 months and immediately after inspection if required.

## Relevant building code clauses

| COMPLIANCE / REGULATION | DETAIL |
|---|---|
| E2/AS1 External Moisture | Table 20 |
| AS/NZS 2179.1:2014 | Section: 2.2.3 |
| B2/AS1 | Table 1: Durability Requirements of Nominated Building Element |

### Quartz 135 aluminium external spouting bracket contributes to compliance by —

> **E2/AS1 Table 20: "Material Selection"**
> The product is classified as "Sheltered" and material selection shown in Table 1 of this BPIR meets the requirements of Table 20 for exposure zones B, C, D & E: "Aluminium" materials.

> **AS/NZS 2179.1:2014 Section 2.2.3: "Aluminium alloys for the manufacture of rainwater accessories shall comply with clause 2.2.2… shall be of the 1000, 3000, 5000 or 6000 series complying with AS/NZS 1734, AS/NZS 1866 or AS/NZS 1867"**
> Quartz 135 aluminium external bracket is manufactured from 5000 series aluminium.

> **B2/AS1 Table 1: Durability Requirements of Nominated Building Element**
> Requires external gutters to have a durability of 5 years. A 10-year warranty is provided with this gutter product, provided the maintenance conditions are met.

## Supporting documentation

The following additional documentation supports the above statements.

| DOCUMENT NAME | WEBLINKS |
|---|---|
| Quartz 135mm brochure & specification document | Quartz Spouting Brochure and Specification 2021.pdf |
| Maintenance document | Continuous Group Maintenance Document.pdf |
| Material compatibility selection | Continuous Group Material Compatibility - Material Selection v1.pdf |
| Material compatibility in contact | Continuous Group Material Compatibility - Compatibility of materials in contact v1.pdf |
| Material compatibility subject to run off | Continuous Group Material Compatibility - Compatibility of materials subject to run off v1.pdf |
| Warranty document | Continuous Group Warranties |

## Manufacturing and supply locations

TABLE 2 — CONTINUOUS GROUP MANUFACTURING AND/OR SUPPLY LOCATIONS

| LOCATION | COMPANY DETAILS |
|---|---|
| Northland | Northland Continuous Spouting Ltd (NZBN 9429032689105)<br>2 Sammaree Place, Kerikeri — northland@continuous.co.nz |
| Auckland | Continuous Spouting Auckland Ltd (NZBN 9429034029862)<br>94 Takanini School Road, Takanini, Auckland — auckland@continuous.co.nz |
| Waikato | Continuous Waikato and Bay of Plenty Ltd (NZBN 9429030330535)<br>141 Queens Street, Leamington, Cambridge — waikato@continuous.co.nz |
| Bay of Plenty | Continuous Waikato and Bay of Plenty Ltd (NZBN 9429030330535)<br>31B Enterprise Drive, Papamoa, Tauranga — bop@continuous.co.nz |
| Gisborne | Streetwise Spouting Ltd (NZBN 9429042306276)<br>4 Leith Street, Gisborne — gisborne@continuous.co.nz |
| Hawke's Bay | Rooftech Hawke's Bay Ltd (NZBN 9429035443889)<br>2/7 Cadbury Road, Onekawa, Napier — hawkes_bay@continuous.co.nz |
| Taranaki | Gutter Solutions Ltd (NZBN 9429036739240)<br>Unit 2, 20 Pacific Place, Gonville, Whanganui — taranaki@continuous.co.nz |
| Whanganui / Manawatu | Gutter Solutions Ltd (NZBN 9429036739240)<br>Unit 2, 20 Pacific Place, Gonville, Whanganui — manawatu@continuous.co.nz |
| Wellington | Wellington Continuous Spouting Ltd (NZBN 9429043333974)<br>Unit B, 1 Prosser Street, Porirua — wellington@continuous.co.nz |
| Nelson / Marlborough | Continuous Spouting South Ltd (NZBN 9429050107209)<br>7 Fuji Court, Stoke, Nelson — nelson@continuous.co.nz |
| Westland | Continuous Spouting South Ltd (NZBN 9429050107209)<br>51-57 Revel Street, Hokitika — westland@continuous.co.nz |
| Christchurch / North Canterbury | Continuous Spouting South Ltd (NZBN 9429050107209)<br>16 Westland Place, Izone Industrial Estate, Rolleston — canterbury@continuous.co.nz |
| Mid / South Canterbury | Continuous Spouting South Ltd (NZBN 9429050107209)<br>126 Dobson Street, Ashburton — canterbury@continuous.co.nz |
| Central Otago | Continuous Spouting South Ltd (NZBN 9429050107209)<br>7 Connelly Way, Cromwell — otago@continuous.co.nz |
| Coastal Otago | Continuous Spouting South Ltd (NZBN 9429050107209)<br>8 Benson Close, Mosgiel — otago@continuous.co.nz |
| Southland | Continuous Spouting South Ltd (NZBN 9429050107209)<br>72 Leet Street, Invercargill — southland@continuous.co.nz |

Continuous Group are members of the NZ Metal Roofing Manufacturers Incorporated and the Roofing Association of New Zealand.